

Package: DrBats (via r-universe)

August 31, 2024

Type Package

Title Data Representation: Bayesian Approach That's Sparse

Version 0.1.6

Maintainer Benedicte Fontez <benedicte.fontez@supagro.fr>

Description Feed longitudinal data into a Bayesian Latent Factor Model to obtain a low-rank representation. Parameters are estimated using a Hamiltonian Monte Carlo algorithm with STAN. See G. Weinrott, B. Fontez, N. Hilgert and S. Holmes, ``Bayesian Latent Factor Model for Functional Data Analysis'', Actes des JdS 2016.

Depends R (>= 3.1.0), rstan

Imports ade4, coda, MASS, Matrix, sde

License GPL-3

Encoding UTF-8

LazyData TRUE

Suggests fda, ggplot2, knitr, parallel, rmarkdown, testthat

VignetteBuilder knitr

NeedsCompilation no

Author Gabrielle Weinrott [aut], Brigitte Charnomordic [ctr],
Benedicte Fontez [cre, aut], Nadine Hilgert [ctr], Susan Holmes
[ctr], Isabelle Sanchez [ctr]

RoxygenNote 7.1.2

Date/Publication 2022-02-13 19:00:12 UTC

Repository <https://bfontez.r-universe.dev>

RemoteUrl <https://github.com/cran/DrBats>

RemoteRef HEAD

RemoteSha 3a09e1e0e1ec581a00bb59cd3a0891be499d030e

Contents

coda.obj	2
coinertia.dr bats	3
dr bats.simul	4
histoProj	5
modelFit	6
pca.Deville	7
pca.proj.Xt	8
postdens	9
stanfit	10
toydata	10
visbeta	11
visW	12
W.QR	13
weighted.Deville	14

Index	15
--------------	-----------

coda.obj	<i>Convert a STAN objet to MCMC list</i>
----------	--

Description

Convert a STAN objet to MCMC list

Usage

```
coda.obj(stanfit)
```

Arguments

stanfit a STAN object

Value

codafit an mcmc.list

Author(s)

Gabrielle Weinrott

Examples

```
data(stanfit) # output of modelFit or main.modelFit
coda.fit <- coda.obj(stanfit)
head(coda.fit)
```

coinertia.drbats	<i>Perform Coinertia Analysis on the PCA of the Weighted PCA and Deville's PCA</i>
------------------	--

Description

Perform Coinertia Analysis on the PCA of the Weighted PCA and Deville's PCA

Usage

```
coinertia.drbats(  
  X.histo = NULL,  
  Qp = NULL,  
  X = NULL,  
  t = NULL,  
  t.range = c(0, 1000),  
  breaks  
)
```

Arguments

X.histo	the data matrix projected onto the histogram basis
Qp	a matrix of weights, if Qp = NULL the function specifies a diagonal weight matrix
X	a data matrix, if X.histo is NULL and needs to be built
t	a matrix of observation times, if X.histo is NULL and needs to be built
t.range	the range of observation times in vector form, if X.histo is NULL and needs to be built (default: t.range = c(0, 1000))
breaks	integer number of histogram windows

Value

co_weight the co-inertia object

Author(s)

Gabrielle Weinrott

Examples

```
res <- drbats.simul(N = 5, P = 100, t.range = c(5, 100), breaks = 8)  
res.coinertia <- coinertia.drbats(X = res$X, t = res$t.simul, t.range = c(5, 100), breaks = 8)  
res.coinertia
```

drbats.simul

*Main simulation function***Description**

Main simulation function

Usage

```
drbats.simul(
  N = 10,
  P = 150,
  t.range = c(0, 1000),
  b.range = c(0.2, 0.4),
  c.range = c(0.6, 0.8),
  b.sd = 2,
  c.sd = 2,
  a.range = c(-0.4, 0.4),
  y.range = c(0, 10),
  amp = 10,
  per = 12,
  data.type = "sparse",
  breaks = 15,
  sigma2 = 0.2,
  seed = NULL
)
```

Arguments

N	integer number of functions to simulate (default = 10)
P	a number of observation times (default = 150)
t.range	a range of times in which to place the P observations (default = c(1, 1000))
b.range	a vector giving the range of values for the mean of the first mode (default b.range = c(0.2, 0.4))
c.range	a vector giving the range of values for the mean of the second mode (default c.range = c(0.6, 0.8))
b.sd	the standard deviation for the first mode (default b.sd = 2)
c.sd	the standard deviation for the second mode (default c.sd = 2)
a.range	a vector giving the range of values for the slope (default a.range = c(-0.4, 0.4))
y.range	a vector giving the range of values for the intercept (default y.range = c(0, 10))
amp	the amplitude of the cosine function (default = 10)
per	the periodicity of the cosine function (default = 12)
data.type	string indicating type of functions (options :sparse, sparse.tend, sparse.tend.cos)

breaks	number of breaks in the histogram basis
sigma2	the precision of the error terms (default = 0.2)
seed	integer specification of a seed (default = NULL)

Value

Y.simul a list containing a matrix Y, a matrix beta, and a matrix epsilon

t.simul a matrix of simulated observation times

X the underlying signal to build the data, see DataSimulationandProjection vignette

proj.pca the outputs of the function pca.proj.Xt

wlu the outputs of the function W.QR

Author(s)

Gabrielle Weinrott

Examples

```
res <- drbats.simul(N = 5, P = 100, t.range = c(5, 100), breaks = 8)
X <- res$X
t <- res$t.simul
# To plot the observations, ie the rows
matplot(t(t), t(X), type = 'l', xlab = "Time", ylab = "X")
```

histoProj *Project a set of curves onto a histogram basis*

Description

Project a set of curves onto a histogram basis

Usage

```
histoProj(X, t, t.range, breaks)
```

Arguments

X	a matrix
t	a matrix of observation times
t.range	a range of times in which to place the P projections (default = c(0, 1000))
breaks	the number of intervals in the histogram basis

Value

X.proj the matrix X after projection

X.count a matrix containing the number of observations used to build the projection onto the histogram basis

windows a vector containing the first time of each window of the histogram intervals

X.max the matrix of minimum values in each window

X.min the matrix of maximum values in each window

Author(s)

Gabrielle Weinrott

Examples

```
res <- drbats.simul(N = 5, P = 100, t.range = c(5, 100), breaks = 8)
res.proj <- histoProj(res$X, res$t.simul, t.range = c(5, 100), breaks = 8)
res.proj
```

modelFit

Fit a Bayesian Latent Factor to a data set using STAN

Description

Fit a Bayesian Latent Factor to a data set using STAN

Usage

```
modelFit(
  model = "PLT",
  var.prior = "IG",
  prog = "stan",
  parallel = TRUE,
  Xhisto = NULL,
  nchains = 4,
  nthin = 10,
  niter = 10000,
  R = NULL
)
```

Arguments

model	a string indicating the type of model ("PLT", or "sparse", default = "PLT")
var.prior	the family of priors to use for the variance parameters ("IG" for inverse gamma, or "cauchy")

prog	a string indicating the MCMC program to use (default = "stan")
parallel	true or false, whether or not to parallelize (done using the package "parallel")
Xhisto	matrix of simulated data (projected onto the histogram basis)
nchains	number of chains (default = 2)
nthin	the number of thinned iterations (default = 1)
niter	number of iterations (default = 1e4)
R	rotation matrix of the same dimension as the number of desired latent factors

Value

stanfit, a STAN object

Author(s)

Gabrielle Weinrott

References

The Stan Development Team Stan Modeling Language User's Guide and Reference Manual. <http://mc-stan.org/>

pca.Deville

Perform a PCA using Deville's method

Description

Perform a PCA using Deville's method

Usage

```
pca.Deville(X, t, t.range, breaks)
```

Arguments

X	a data matrix
t	a matrix of observation times corresponding to X
t.range	the range of observation times in vector form (ex. t.range = c(0, 1000))
breaks	integer number of histogram windows

Value

X.histo the matrix projected onto the histogram basis

U.histo a matrix of eigenvectors in the histogram basis

Cp a matrix of principal components

lambda a vector of eigenvalues

perc.lambda a vector of the percentage of total inertia explained by each principal component

Author(s)

Gabrielle Weinrott

References

JC Deville, "Methodes statistiques et numeriques de l'analyse harmonique", Annales de l'INSEE, 1974.

Examples

```
res <- drbats.simul(N = 5, P = 100, t.range = c(5, 100), breaks = 8)
res.pca <- pca.Deville(res$X, res$t.simul, t.range = c(5, 100), breaks = 8)
res.pca
```

pca.proj.Xt

PCA data projected onto a histogram basis

Description

PCA data projected onto a histogram basis

Usage

```
pca.proj.Xt(X, t, t.range = c(0, 1000), breaks = 15)
```

Arguments

X	the data matrix
t	the matrix of observation times
t.range	a vector specifying the observation time range (default : c(0, 1000))
breaks	the number of breaks in the histogram basis (default : breaks = 15)

Value

Xt.proj a matrix of projected observations
U a matrix of eigenvectors
lambda a vector of eigenvalues
lambda.perc the percentage of inertia captured by each axis

Author(s)

Gabrielle Weinrott

Examples

```
res <- drbats.simul(N = 5, P = 100, t.range = c(5, 100), breaks = 8)
pca.proj.Xt(res$X, res$t.simul, t.range = c(0, 100), breaks = 8)
```

postdens

Calculate the unnormalized posterior density of the model

Description

Calculate the unnormalized posterior density of the model

Usage

```
postdens(mcmc.output, Y, D, chain = 1)
```

Arguments

mcmc.output	an mcmc list as produced by clean.mcmc
Y	the data matrix
D	the number of latent factors
chain	the chain to plot (default = 1)

Value

post a vector containing the posterior density at each iteration##' @examples

Author(s)

Gabrielle Weinrott

Examples

```
data("toydata")
data("stanfit")
dens <- postdens(coda.obj(stanfit), Y = toydata$Y.simul$Y, D = 2, chain = 1)
hist(dens)
```

stanfit	<i>A stanfit object fitted to the toydata</i>
---------	---

Description

A stanfit object fitted to the toydata

Usage

```
stanfit
```

Format

A large stanfit object

toydata	<i>A toy longitudinal data set</i>
---------	------------------------------------

Description

A toy longitudinal data set

Usage

```
toydata
```

Format

A list with 5 elements :

Y.simul a list of simulated data with 3 elements

t.simul a matrix with 5 rows and 150 columns giving the observation times of the original data

X the original data matrix with 5 rows and 150 columns

proj.pca a list with 4 elements : results of the function `histoProj(X, t, t.range = c(0, 1000), breaks = 8)`

wlu a list with 4 elements : results of the function `W.QR(U, lambda)` where U and lambda are the results of the PCA of X

visbeta	<i>Format scores output for visualization</i>
---------	---

Description

Format scores output for visualization

Usage

```
visbeta(mcmc.output, Y, D, chain = 1, axes = c(1, 2), quant = NULL)
```

Arguments

mcmc.output	an mcmc list as produced by clean.mcmc
Y	the matrix of data
D	the number of latent factors
chain	the chain to use (default = 1)
axes	the axes to use (default = c(1, 2))
quant	a vector of quantiles to retain (default = NULL)

Value

mean.df are the MCMC estimates for the parameters

points.df contains all of the estimates of the chain

contour.df contains the exterior points of the convex hull of the cloud of estimates

Author(s)

Gabrielle Weinrott

Examples

```
data("toydata")
data("stanfit")
codafit <- coda.obj(stanfit) ## convert to mcmc.list
beta.res <- visbeta(codafit, Y = toydata$Y.simul$Y, D = toydata$wlu$D, chain = 1,
axes = c(1, 2), quant = c(0.05, 0.95))

ggplot2::ggplot() +
  ggplot2::geom_path(data = beta.res$contour.df, ggplot2::aes(x = x, y = y, colour = ind)) +
  ggplot2::geom_point(data = beta.res$mean.df, ggplot2::aes(x = x, y = y, colour = ind))
```

visW

*Plot the estimates for the latent factors***Description**

Plot the estimates for the latent factors

Usage

```
visW(mcmc.output, Y, D, chain = 1, factors = c(1, 2))
```

Arguments

mcmc.output	an mcmc list as produced by clean.mcmc
Y	the matrix of data
D	the number of latent factors
chain	the chain to plot (default = 1)
factors	a vector indicating the factors to plot (default = c(1, 2))

Value

res.W a data frame containing the estimates for the factors, and their lower and upper bounds

Inertia the percentage of total inertia captured by each of the factors

Author(s)

Gabrielle Weinrott

Examples

```
data("toydata")
data("stanfit")
codafit <- coda.obj(stanfit) ## convert to mcmc.list
W.res <- visW(codafit, Y = toydata$Y.simul$Y, D = toydata$wlu$D,
chain = 1, factors = c(1, 2))

## plot the results

data <- data.frame(time = rep(1:9, 2), W.res$res.W)
ggplot2::ggplot() +
  ggplot2::geom_step(data = data, ggplot2::aes(x = time, y = Estimation, colour = Factor)) +
  ggplot2::geom_step(data = data, ggplot2::aes(x = time, y = Lower.est, colour = Factor),
  linetype = "longdash") +
  ggplot2::geom_step(data = data, ggplot2::aes(x = time, y = Upper.est, colour = Factor),
  linetype = "longdash")
```

`W.QR`*Build and decompose a low-rank matrix W*

Description

Build and decompose a low-rank matrix from a matrix of eigenvectors and eigenvalues from principal component analysis

Usage

```
W.QR(U, lambda)
```

Arguments

U	a matrix of eigenvectors
lambda	a vector of corresponding eigenvalues

Value

W a low-rank matrix
D the number of latent factors
Q the orthogonal matrix of the $W = QR$ matrix decomposition
R the upper triangular matrix of the $W = QR$ matrix decomposition

Author(s)

Gabrielle Weinrott

Examples

```
res <- drbats.simul(N = 5, P = 100, t.range = c(5, 100), breaks = 8)
res.pca <- pca.Deville(res$X, res$t.simul, t.range = c(5, 100), breaks = 8)
Wres.pca <- W.QR(res.pca$U, res.pca$lambda)
Wres.pca
```

weighted.Deville	<i>Perform a weighted PCA using Deville's method on a data matrix X that we project onto a histogram basis and weighted</i>
------------------	---

Description

Perform a weighted PCA using Deville's method on a data matrix X that we project onto a histogram basis and weighted

Usage

```
weighted.Deville(X, t, t.range, breaks, Qp = NULL)
```

Arguments

X	a data matrix
t	a matrix of observation times corresponding to X
$t.range$	the range of observation times in vector form (ex. $t.range = c(a, b)$)
$breaks$	integer number of histogram windows
Qp	a matrix of weights, if $Qp = NULL$ the function specifies a diagonal weight matrix

Value

$X.histo$ the matrix projected onto the histogram basis
 $U.histo$ a matrix of eigenvectors in the histogram basis
 Cp a matrix of principal components
 $lambda$ a vector of eigenvalues
 $perc.lambda$ a vector of the percentage of total inertia explained by each principal component

Author(s)

Gabrielle Weinrott

Examples

```
res <- drbats.simul(N = 5, P = 100, t.range = c(5, 100), breaks = 8)
res.weighted <- weighted.Deville(res$X, res$t.simul, t.range = c(5, 100), breaks = 8, Qp = NULL)
res.weighted
```

Index

* datasets

stanfit, 10

toydata, 10

coda.obj, 2

coinertia.drbats, 3

drbats.simul, 4

histoProj, 5

modelFit, 6

pca.Deville, 7

pca.proj.Xt, 8

postdens, 9

stanfit, 10

toydata, 10

visbeta, 11

visW, 12

W.QR, 13

weighted.Deville, 14